




Bearing Rolamentos do Brasil Ltda.



6013ZZNR Bearing 2D drawings and 3D CAD models

65,000 mm x 100,000 mm x 18,000 mm NTN
6013ZZNR deep groove ball bearings

Bearing No. 6013ZZNR

Size	65x100x18 mm
Bore Diameter	65,000 mm
Outer Diameter	100,000 mm
Width	18,000 mm
d	65,000 mm
D	100,000 mm
B	18,000 mm
C	18,000 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.455
EAN	4547359549683
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	Yes
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	65MM Bore; 100MM



Bearing Rolamentos do Brasil Ltda.

	Outside Diameter; 18MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6013ZZNR/2A
Weight / LBS	0.959
Outer Race Width	0.709 Inch 18 Millimeter
Bore	2.559 Inch 65 Millimeter
Outside Diameter	3.937 Inch 100 Millimeter
bore diameter:	65 mm
precision rating:	ISO Class 0
outside diameter:	100 mm
finish/coating:	Uncoated
overall width:	18 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	18 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	18 mm
snap ring included:	With Snap Ring
maximum rpm (grease):	6500 rpm
internal clearance:	CN
fillet radius:	1.1 mm



Bearing Rolamentos do Brasil Ltda.

operating temperature range:	-40 to 120 ° C
maximum rpm:	7700 RPM
dynamic load capacity:	30500 N
series:	60
static load capacity:	25200 N
manufacturer product page:	Click here